

AVALON™

May '97


'97 Avanti DVS™ Direct Vent Fireplace

Performance

- Direct Vent Fireplace (Wall Furnace Rated)
- Approximate Heating Capacity - 1,500 Sq. ft.
- BTU Input (NG) - 31,000 (on high) 18,600 (on low)
- BTU Input (LP) - 31,000 (on high) 16,000 (on low)
- Steady State Efficiency - 80%-NG & 80.5%-LP (with fan)
- Annual Fuel Utilization Efficiency 71.3% NG & 71.8% LP

Standard Features


- Natural Gas Burner (LP conversion kit with unit)
- Thermocouple/Thermopile 30 Second Dropout Safety Pilot
- 130 CFM Convection Fan
- Realistic 4 Piece Log & Ember Set
- Millivolt System
- Dura-Vent Direct Vent Connector
- 5mm Ceramic Glass (Silica Coated)
- Built-in Burner ON/OFF Switch
- Adjustable Burner Control
- Uses Dura Vent 6 5/8" Direct Vent



Fireplace Body
98400110

Options

- Rectangular 24 Karat Gold Plated Door with Metallic Black Painted Face
- Cast Cambridge™ Face - Black Metallic Paint with Gold Trim
- Thermostat
- Remote Control/Remote Thermostat
- Cast Fireback - Firebrick Pattern




Cast Fireback -
Firebrick
98500732

Fireplace
Body

Avanti DVS™ Gold
Door/Black Face Assembly
99300451

Cambridge™ Cast
Face with Gold Trim
Detail
99300452



AVALON™

Avanti DVS Direct Vent Fireplace Insert

Performance



- Direct Vent Fireplace Insert
- Approximate Heating Capacity - 600-1,500 Sq. Ft.
- BTU Input (NG) - 31,000 (on high) 18,600 (on low)
- BTU Input (LP) - 31,000 (on high) 16,000 (on low)
- Steady State Efficiency - 80% (NG) 80.5% (LP)
- Annual Fuel Utilization Efficiency - 71.3% (NG) 71.8% (LP)

Standard Features

- Natural Gas Burner (LP conversion kit with unit)
- Thermocouple/Thermopile 30 Second Dropout Safety Pilot
- 130 CFM Quiet, Variable Speed Thermodisc Fan
- Realistic 4 Piece Log & Ember Set
- Millivolt System
- Dura-Vent Direct Vent Connector
- 5mm Ceramic Glass (Silica Coated)
- Built-in Burner ON/OFF Switch
- Variable Heat Output
- Direct Vent Consist of - 3" Air Intake & 3" Exhaust
- Pizeo Igniter

Options


- Rectangular 24 Karat Gold Plated Door with Metallic Black Painted Face
- Cast Cambridge™ Face - Black Metallic Paint with Gold Trim
- Thermostat
- Remote Control/Remote Thermostat
- Face Panels 8" x 10" (28 7/8" x 40 3/8")
10" x 13" (31 7/8" x 44 3/8")




Fireplace Insert Body
98400101

Detachable
Flue
Manifold
Ships
With Unit

Avanti DVS Gold
Door/Black Face
Assembly
99300451



Cambridge™ Cast Face
with Gold Trim
99300452



AVALON™


Cambridge™ Face

Features

- Beautiful, Fine Aluminum Casting
- Mantled Brow Accented By Fluted Channels
- Huge Fireview Framed with Gentle, Curved Arch
- Fits Both Avanti DVS Fireplace & Fireplace Insert
- Comes Completely Assembled
- Attaches with 4 Screws
- Easy to Attach & Remove (Simply Lifts On and Off)
- Black Metallic Paint


Options

- 24 Karat Gold Fanlight



DVS Fireplace Body
Sku # 98400110

DVS Insert Body
Sku # 98400100



**Cambridge Cast
Aluminum Face**
Sku # 99300452



**24 Karat Gold
Plated Fanlight**
Sku # 99300455